

Service Manual


Colour Television

SOLAVOX TLG88

SOLAVOX TLG99

SOLAVOX TLG140


SOLAVOX TLG141




GRANADA TV RENTAL

SPECIFICATION

SYSTEM	:	PAL - I	
DESTINATION	:	U.K.	
CHANNEL COVERAGE - UHF	:	21 - 69	CH
FREQUENCY RANGE - UHF	:	474 - 858	MHz
SCANNING LINES	:	625	Lines
HORIZONTAL	:	15625	Hz
VERTICAL	:	50	Hz
IF FREQUENCY			
VIDEO	:	39.5	MHz
SOUND	:	33.5	MHz
CHROMA	:	35.07	MHz
VISION/SOUND SEPARATION	:	6.0	MHz
SENSITIVITY - UHF	:	80	uV
OUTPUT POWER MAXIMUM	:	900	mW
10% THD	:	700	mW
CRT	:	14" DIAGONAL, DIAMETER, 90° ANGLE	29.1mm NECK DEFLECTION
SPEAKER	:	3" 16 OHM 1W	
ANTENNA IMPEDANCE	:	75 OHM	





ALL CAPACITANCE VALUE FAPAD

ALL RESISTANCE VALUE OHM

PIF 39.5 MHZ

SIF 33.5MHZ

SUPPLY VOLTAGE (V)		
TERM	CH	UHF
1	BU	12
4	AGC	8.5
6	AFC	6.5
7	BM	12

Tr 1 : 25K138

Tr 2 : 2SC2732

Tr 3 : 2SC2734

Tr 4 : 2SC2733 or 2SC2735

Tr 5 : 2SC2735

DT 1-4 : 1T32

015 : 15V146

