



- NOTE:
1. THE UNIT OF RESISTANCE " OHM " IS OMITTED (K-1000 OHMS AND M-1MEG OHMS)
 2. ALL RESISTORS ARE " 1/8 W " AND " 5% " UNLESS OTHERWISE NOTED.
 3. ALL CAPACITORS RATING ARE " 50V " UNLESS OTHERWISE NOTED.
 4. ALL VRIBLE RESISTOR ARE " 0.1W " AND " 6 MIN " UNLESS OTHERWISE NOTED.
 5. ALL ELECTROLYTIC CAPACITORS RATING ARE " 85 DEGREE C " UNLESS OTHERWISE NOTED.
 6. (C): DEGREE C

CONFIDENTIAL		PCAD FILE : TD1MBA.SCH			
THIS DRAWING (SPECIFICATION) IS THE PROPERTY OF TVM CORPORATION ALL RIGHTS RESERVED.		 TAIWAN VIDEO & MONITOR CORP.			
		TD1			
APPROVALS		DATE			
DRAWN		L. S. HO 11-27-'98			
CHECKED					
ISSUED					
MANAGER					
SCALE		SIZE A1		MODEL 5Sv	
		E/PCO NO. E-000		DWG. NO. 540010230100	
				REV. A	
				SHEET 1 OF 1	



MAIN BD & CRT BD SCHEMATIC

441000210000	441000210000	DATE
MAIN PCB REV.	CRT PCB REV.	
D	D	11-27-'98

VAR_B+

FB

21V

12.1V

12V

66V

90V

SLEEP

6.3V

5V





