





★ EMI 승인품 ★ MOHLC-1771
<환경 및 문제 해결을 위해> 42cm


HYUNDAI

MODEL : V771/A727


CHASSIS NO : C-1723







WARNING: THIS EQUIPMENT CONTAINS SAFETY & CDRIH CRITICAL COMPONENTS
ALL PARTS SHOWN IN THE  MARKS OF THE SCHEMATIC ARE SAFETY
REPLACE SAFETY CRITICAL COMPONENTS ONLY WITH MANUFACTURERS
RECOMMENDED PARTS LIST FOR EXACT REPLACEMENTS.



NOTE:
 1. RESISTANCE IS SHOWN IN OHM K=1,000 M=1,000,000. RATED POWER OF RESISTOR NOT NOTED IN SCHEMATIC DIAGRAM IS 1/8W R-CARRIED.
 2. CAPACITANCE IS SHOWN IN PF AND NOTED CAPACITANCES IS SHOWN IN UF=1,000,000PF RATED.
 3. VOLTAGE OF CONDENSER NOT NOTED IN SCHEMATIC DIAGRAM IS 50V.
 4. ABBREVIATION AND SYMBOL:
 P: POLYESTER PP: POLYPROPYLENE
 5. THIS SCHEMATIC DIAGRAM IS SUBJECT TO CHANGE WITHOUT NOTICE FOR FURTHER IMPROVEMENT.

DWG. REV.	A	DESCRIPTION	DOC. NO.	DATE	APPROVAL
DWG. NO.	E42095250				
TITLE	V771/A727				
		SIGNATURE	DATE	INSP	SHEET NO.
		C.H. LEE	2001.04.28		1/1
		C. YU	2001.04.28		
		Y. K. BYUN	2001.04.28		